Author Index

Allende, O., see Rangel-Aldao, R., 39

Andrade, E.A., see Zolg, J.W., 145

Arasu, P., see Vaidya, A.B., 249

Arauzo, S.S., see Montamat, E.E., 185

Aronow, B., Kaur, K., McCartan, K. and Ullman, B.

Two high affinity nucleoside transporters in Leishmania donovani, 29

Betschart, B. and Jenkins, J.M.

Distribution of iodinated proteins in *Dipetalonema viteae* after surface labelling, 1

Blanco, A., see Montamat, E.E., 185

Branford White, C.J., see Hipkins, J.B., 55

Buranakitjaroen, P. and Newbold, C.I.

Antigenic cross reactivity between p195 and a distinct protein of 100 kDa in *Plasmodium falciparum*, 65

Cardoso de Almeida, M.L., see Ross, C.A., 153

Chaudri, M., see Simpson, A.J.G., 169

Clarke, L.E., Messer, L.I., Greenwood, N.M. and Wisher, M.H.

Isolation of \(\amp3 \) genomic recombinants coding for antigens of Eimeria tenella, 79

Cordingley, J.S., see Johnson, K.S., 89

Donelson, J.E., see Engman, D.M., 115

Egwang, T.G. and Kazura, J.W.

Immunochemical characterization and biosynthesis of major antigens of Iodo-bead surface-labeled *Brugia malayi* microfilariae, 159

Engman, D.M., Reddy, L.V., Donelson, J.E. and Kirchhoff, L.V.

Trypanosoma cruzi exhibits inter- and intra-strain heterogeneity in molecular karyotype and chromosomal gene location, 115

Feagin, J.E., see Jasmer, D.P., 259 Foley, M., see Kennedy, M.W., 233

Fry, M., see Paget, T.A., 125

Garland, P.B., see Kennedy, M.W., 233

Gill, A., Timms, P. and Kemp, D.J.

cDNA clone encoding a high molecular weight antigen of Babesia bovis, 195

Goodsaid, F., see Larralde, C., 203

Gottlieb, M., see Lovelace, J.K., 19

Greenwood, N.M., see Clarke, L.E., 79

Guevara, P., see Ramírez, J.L., 177

Henríquez, D., see Piras, M.M., 135

Henríquez, D., see Rangel-Aldao, R., 39

Hipkins, J.B., Branford White, C.J. and Peters, T.J.

Effect of phenothiazines on *Hymenolepis diminuta* with special reference to the brush border Ca²⁺-dependent ATPase, 55

Jasmer, D.P., Feagin, J.E., Payne, M. and Stuart, K.

Variation of G-rich mitochondrial transcripts among stocks of African trypanosomes, 259

Jenkins, J.M., see Betschart, B., 1

Johnson, K.S., Taylor, D.W. and Cordingley, J.S.

Possible eggshell protein gene from Schistosoma mansoni,

Kaur, K., see Aronow, B., 29

Kazura, J.W., see Egwang, T.G., 159

Kelly, C., see Simpson, A.J.G., 169

Kemp, D.J., see Gill, A., 195

Kennedy, M.W., Foley, M., Kuo, Y.-M., Kusel, J.R. and Garland, P.B.

Biophysical properties of the surface lipid of parasitic nematodes, 233

Kierszenbaum, F., see Villalta, F., 109

Kirchhoff, L.V., see Engman, D.M., 115

Knight, M., see Simpson, A.J.G., 169

Koloczek, H., see Larralde, C., 203

Komuniecki, P.R. and Vanover, L. Biochemical changes during the aerobic-anaerobic transition in *Ascaris suum* larvae, 241

Kuo, Y.-M., see Kennedy, M.W., 233

Kusel, J.R., see Kennedy, M.W., 233

Laclette, J.P., see Larralde, C., 203

Langsley, G., see Shippen-Lentz, D., 223

Larralde, C., Sassa, S., Vanderkooi, J.M., Koloczek, H., Laclette, J.P., Goodsaid, F., Sciutto, E. and Owen, C.S.

Analysis of porphyrins and enzymes in porphyrin synthesis in *Taenia solium* cysticercus from man and pig, 203

Lee, R.W.K., see Thompson, S.N., 45

Lloyd, D., see Paget, T.A., 125

Lockyer, M.J. and Schwarz, R.T.

Strain variation in the circumsporozoite protein gene of *Plasmodium falciparum*, 101

Lovelace, J.K. and Gottlieb, M.

Effect of tunicamycin on the extracellular acid phosphatase of *Leismania donovani* promastigotes, 19

Martin, S., see Simpson, A.J.G., 169

McCartan, K., see Aronow, B., 29

McLaren, D.J., see Rogers, M.V., 273

Messer, L.I., see Clarke, L.E., 79

Montamat, E.E., Arauzo, S.S. and Blanco, A.

Subcellular localization of leucine aminotransferase and α -hydroxyacid dehydrogenase in *Trypanosoma cruzi*, 185

Newbold, C.I., see Buranakitjaroen, P., 65

North, T.W. and Wyler, D.J.

DNA synthesis in promastigotes of Leishmania major and L. donovani, 215

Owen, C.S., see Larralde, C., 203

Paget, T.A., Fry, M. and Lloyd, D.

Effects of inhibitors on the oxygen kinetics of Nippostrongylus brasiliensis, 125

Payne, M., see Jasmer, D.P., 259

Peters, T.J., see Hipkins, J.B., 55

Phillips, M.A. and Wang, C.C.

A Trypanosoma brucei mutant resistant to α-difluoromethylornithine, 9

Piras, M., see Rangel-Aldao, R., 39

Piras, M.M., Henríquez, D. and Piras, R.

The effect of fetuin and other sialoglycoproteins on the in vitro penetration of *Trypanosoma cruzi* trypomastigotes into fibroblastic cells, 135

Piras, R., see Piras, M.M., 135

Piras, R., see Rangel-Aldao, R., 39

Platzer, E.G., see Thompson, S.N., 45

Ramírez, J.L. and Guevara, P.

The ribosomal gene spacer as a tool for the taxonomy of Leishmania, 177

Rangel-Aldao, R., Allende, O., Triana, F., Piras, R., Henríquez, D. and Piras, M.

Possible role of cAMP in the differentiation of Trypanosoma cruzi, 39

Ray, R., see Shippen-Lentz, D., 223

Reddy, L.V., see Engman, D.M., 115

Rogers, M.V. and McLaren, D.J.

Analysis of total and surface membrane lipids of Schistosoma mansoni, 273

Ross, C.A., Cardosa de Almeida, M.L. and Turner, M.J. Variant surface glycoproteins of *Trypanosoma congolense* bloodstream and metacyclic forms are anchored by a glycolipid tail, 153

Rumjanek, F., see Simpson, A.J.G., 169

Sassa, S., see Larralde, C., 203

Scaife, J.G., see Shippen-Lentz, D., 223

Schwarz, R.T., see Lockyer, M.J., 101

Sciutto, E., see Larralde, C., 203

Scott, E.D., see Zolg, J.W., 145

Shippen-Lentz, D., Ray, R., Scaife, J.G., Langsley, G. and Vezza, A.C.

Characterization and complete nucleotide sequence of a 5.8S ribosomal RNA gene from *Plasmodium falciparum*, 223

Simpson, A.J.G., Chaudri, M., Knight, M., Kelly, C., Rumjanek, F., Martin, S. and Smithers, S.R.

Characterisation of the structure and expression of the gene encoding a major female specific polypeptide of Schistosoma mansoni, 169

Smithers, S.R., see Simpson, A.J.G., 169

Stuart, K., see Jasmer, D.P., 259

Taylor, D.W., see Johnson, K.S., 89

Thompson, S.N., Platzer, E.G. and Lee, R.W.K.

In vivo ³¹P NMR spectrum of *Hymenolepis diminuta* and its change on short-term exposure to mebendazole, 45

Timms, P., see Gill, A., 195

Triana, F., see Rangel-Aldao, R., 39

Turner, M.J., see Ross,. C.A., 153

Ullman, B., see Aronow, B., 29

Vaidya, A.B. and Arasu, P.

Tandemly arranged gene clusters of malarial parasites that are highly conserved and transcribed, 249

Vanderkooi, J.M., see Larralde, C., 203

Vanover, L., see Komuniecki, P.R., 241

Vezza, A.C., see Shippen-Lentz, D., 223

Villalta, F. and Kierszenbaum, F.

Role of membrane N-linked oligosaccharides in host cell interaction with invasive forms of *Trypanosoma cruzi*, 109

Wang, C.C., see Phillips, M.A., 9

Wisher, M.H., see Clarke, L.E., 79

Wyler, D.J., see North, T.W., 215

Zolg, J.W., Andrade, E.A. and Scott, E.D.

Detection of Plasmodium falciparum DNA using repetitive

DNA clones as species specific probes, 145

Subject Index

Alternative respiration, 125 δ-Aminolevulinic acid dehydratase, 203 cAMP, 39 cAMP-binding proteins, 39 λAmp3, 79 Anaerobic metabolism, 241 Antigen, 79 Antigenic cross reactivity, 65 Aphidicolin, 215 Ascaris suum, 241 ATP, 45

Babesia bovis, 195 Benzimidazole, 45 Brugia malayi, 159

Ca²⁺-ATPase, 55
Calmodulin, 55
Cell differentiation, 39
Chorion gene, 89
Chromosome, 115
Circumsporozoite protein gene, 101
Coccidiosis, 79
5' Coding region, 101
Cross-reacting determinant, 153
Cuticle isolation, 1
Cytochrome c oxidase, 125

Deglycosylation, 109 Diagnosis, 145 cDNA, 169, 195 DNA probes, 145 DNA replication, 215 DNA sequence, 89, 223 Drug resistance, 9 Drug uptake, 9

Eggshell, 89
Eimeria tenella, 79
Electron transport, 125
Epicuticle, 233
Epimastigote, 39
Evolution, 249
Expression library, 79, 195
Extracellular acid phosphatase, 19

Female specific polypeptide, 169
Fetuin, 135
Filariae, 1
Fluorescence quenching, 233
Fluorescence Recovery After Photobleaching, 233
Fluorescent lipid analogue, 233
Fused polypeptide, 195
Fusion protein, 79

Gene expression, 169, 249 Gene organization, 249 Glycoprotein, 19 Guinea pig, 273

H₂O₂ production, 125 Host cell infection, 109 Host-parasite, 135 α-Hydroxyacid dehydrogenase, 185 Hydroxyurea, 215 Hymenolepis diminuta, 45, 55

In vivo NMR, 45 Infection, 135 Invasion, 135 Iodination, 1

Karyotype, 115

Larvae, 241
Leishmania, 177, 215
Leishmania donovani, 19, 29
Leucine aminotransferase, 185
Lipid profile, 273
Lipid, 233

Malaria, 249
Mebendazole, 45
Microfilariae, 159
Mitochondria, 125
Mitochondrial transcript, 259
Monoclonal antibody, 65
Myristic acid, 153

N-linked oligosaccharide, 109 Nematode, 1, 233 Neuraminidase, 135 Nippostrongylus brasiliensis, 125 ³¹P NMR, 45 Nucleoside transport, 29

Ornithine, 9 Oxygen toxicity, 125

p195, 65
Penetration, 135
Phenol oxidase, 89
Phosphatidylinositol phospholipase C, 153
Phosphorylation, 45
Plasmodium, 249
Plasmodium falciparum, 65, 101, 145, 223
Porphobilinogen deaminase, 203
Porphyria, 203
Pulsed field gradient gel electrophoresis, 115
Putrescine, 9

Receptors, 39 Repeat region, 101 Repetitive DNA, 145, 249 Ribosomal gene, 177 mRNA, 195 5.8S rRNA, 223

Schistosoma mansoni, 89, 273
Schistosome, 169, 233
Sialic acid, 135
Sialoglycoprotein, 135
Spacer, 177
Strain specificity, 65
Subcellular localization of enzyme, 185
Substrate specificity, 29
Surface antigen, 159
Surface labelling, 1

Taenia solium cysticercus, 203 Tapeworm, 45 Taxonomy, 177
Tegumental membrane, 273
Toxocara canis, 233
Trans-sialylation, 135
Trichinella spiralis, 233
Trypanosoma brucei, 9, 153, 259
Trypanosoma congolense, 153
Trypanosoma cruzi, 39, 109, 115, 135, 185
Trypomastigote, 39
Tunicamycin, 19

Uroporphyrinogen decarboxylase, 203

Vitellogenesis, 89 Volatile fatty acid, 241

Whole worm homogenate, 273

Zn-coproporphyrin, 203

